

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
1	71.0	54.6	247.7
2	69.9	53.7	243.6
3	58.5	45.0	203.8
4	60.2	46.3	210.0
5	59.9	46.1	208.8
6	59.9	46.1	209.0
7	57.7	44.4	201.1
8	57.6	44.3	200.8
9	58.6	45.1	204.3
10	70.3	54.0	244.9
11	67.8	52.2	236.4
12	65.1	50.0	226.8
13	66.9	51.5	233.3
14	69.3	53.3	241.6
15	69.3	53.3	241.7
16	70.6	54.3	246.0
17	54.8	42.1	190.9
18	53.9	41.5	187.9
19	57.0	43.9	198.8
20	56.2	43.2	195.9
21	60.8	46.8	212.0
22	61.8	47.5	215.4
23	59.4	45.7	207.2
24	62.1	47.8	216.5
25	55.1	42.4	192.0
26	52.8	40.6	184.1
27	49.9	38.4	173.8
28	52.7	40.5	183.8
29	53.0	40.7	184.6
30	57.1	43.9	199.1
31	50.3	38.7	175.5
32	57.0	43.8	198.6
33	58.4	44.9	203.5
34	56.4	43.4	196.7
35	56.2	43.3	196.1
36	59.5	45.8	207.5
37	60.6	46.6	211.2
38	60.1	46.2	209.5
39	57.5	44.2	200.4
40	55.6	42.8	193.9
41	57.6	44.3	200.7
42	57.9	44.5	201.9
43	71.1	54.7	248.0
44	67.6	52.0	235.5
45	67.5	51.9	235.3

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
46	69.2	53.2	241.3
47	67.3	51.8	234.6
48	68.1	52.4	237.6
49	67.0	51.5	233.6
50	66.4	51.1	231.6
51	55.9	43.0	195.0
52	47.7	36.7	166.2
53	54.2	41.7	189.0
54	48.8	37.5	170.1
55	49.7	38.2	173.3
56	50.5	38.8	176.0
57	50.8	39.0	176.9
58	50.4	38.8	175.9
59	55.7	42.9	194.3
60	56.6	43.5	197.2
61	55.8	42.9	194.5
62	56.3	43.3	196.2
63	49.1	37.8	171.3
64	50.3	38.7	175.5
65	56.0	43.0	195.1
66	56.0	43.1	195.3
67	49.1	37.8	171.3
68	44.9	34.5	156.5
69	49.7	38.2	173.1
70	48.8	37.5	170.0
71	55.4	42.6	193.0
72	46.6	35.8	162.4
73	48.4	37.2	168.7
74	60.4	46.5	210.6
75	54.4	41.9	189.8
76	54.8	42.2	191.1
77	52.5	40.4	183.1
78	52.2	40.1	181.9
79	53.4	41.1	186.1
80	53.0	40.7	184.6
81	59.4	45.7	207.2
82	58.8	45.2	205.0
83	57.0	43.9	198.8
84	59.1	45.5	206.2
85	59.4	45.7	207.1
86	58.5	45.0	204.0
87	60.4	46.5	210.7
88	60.1	46.2	209.5
89	49.5	38.1	172.7
90	49.5	38.0	172.4

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
91	51.0	39.2	177.8
92	50.3	38.7	175.2
93	55.9	43.0	194.8
94	53.8	41.4	187.4
95	55.7	42.8	194.1
96	59.4	45.7	207.0
97	56.8	43.7	198.2
98	56.8	43.7	198.1
99	55.6	42.8	194.0
100	55.9	43.0	195.0
101	49.6	38.2	173.1
102	50.4	38.8	175.7
103	50.8	39.1	177.2
104	49.6	38.1	172.9
105	48.1	37.0	167.7
106	55.9	43.0	195.0
107	48.6	37.4	169.5
108	46.3	35.6	161.5
109	48.7	37.5	169.8
110	48.9	37.6	170.6
111	49.2	37.8	171.5
112	48.1	37.0	167.6
113	48.5	37.3	169.2
114	55.1	42.4	192.1
115	155.7	119.7	542.7
116	61.9	47.6	215.8
117	51.1	39.3	178.3
118	57.1	44.0	199.2
119	60.6	46.6	211.3
120	61.0	47.0	212.8
121	60.3	46.4	210.4
122	190.4	146.4	663.8
123	134.7	103.6	469.7
124	149.5	115.0	521.1
125	174.5	134.2	608.3
126	179.1	137.8	624.6
127	95.7	73.6	333.6
128	180.7	139.0	630.0
129	202.2	155.5	705.0
130	96.2	74.0	335.5
131	63.2	48.6	220.4
132	61.0	46.9	212.5
133	71.1	54.7	248.0
134	70.2	54.0	244.8
135	73.6	56.6	256.6

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
136	89.1	68.6	310.7
137	78.4	60.3	273.4
138	205.3	157.9	715.8
139	75.9	58.4	264.8
140	97.6	75.0	340.1
141	173.3	133.3	604.2
142	73.3	56.4	255.4
143	58.9	45.3	205.5
144	59.8	46.0	208.6
145	109.3	84.1	381.1
146	90.3	69.4	314.7
147	194.3	149.5	677.4
148	189.4	145.7	660.2
149	152.6	117.4	532.0
150	177.3	136.4	618.1
151	41.5	31.9	144.7
152	45.2	34.8	157.6
153	42.0	32.3	146.3
154	42.4	32.6	147.8
155	45.7	35.2	159.3
156	46.8	36.0	163.1
157	58.4	44.9	203.5
158	58.8	45.2	205.0
159	47.6	36.6	165.8
160	48.2	37.1	168.1
161	47.8	36.8	166.6
162	46.7	35.9	162.8
163	46.9	36.1	163.5
164	47.2	36.3	164.4
165	46.8	36.0	163.2
166	47.2	36.3	164.5
167	47.8	36.8	166.8
168	46.8	36.0	163.2
169	56.7	43.7	197.9
170	52.8	40.6	184.0
171	53.1	40.9	185.3
172	52.0	40.0	181.4
173	53.5	41.2	186.7
174	53.3	41.0	185.9
175	52.8	40.6	184.0
176	64.9	49.9	226.1
177	63.3	48.7	220.7
178	61.5	47.3	214.2
179	59.6	45.9	207.9
180	51.5	39.6	179.5

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
181	54.5	42.0	190.2
182	58.6	45.1	204.3
183	59.7	45.9	208.2
184	59.2	45.6	206.5
185	51.4	39.5	179.1
186	50.6	38.9	176.3
187	51.4	39.5	179.2
188	52.9	40.7	184.3
189	58.3	44.8	203.1
190	57.0	43.8	198.6
191	57.5	44.3	200.6
192	57.5	44.2	200.5
193	58.2	44.7	202.8
194	55.8	42.9	194.5
195	58.2	44.8	203.0
196	57.1	43.9	199.1
197	58.2	44.8	202.8
198	49.5	38.1	172.7
199	50.7	39.0	176.7
200	51.0	39.3	177.9
201	55.7	42.9	194.3
202	55.9	43.0	194.9
203	54.9	42.2	191.3
204	55.0	42.3	191.8
205	48.2	37.1	168.1
206	49.0	37.7	170.8
207	49.7	38.2	173.1
208	48.6	37.4	169.4
209	47.4	36.5	165.4
210	53.6	41.3	187.0
211	47.6	36.6	166.0
212	48.4	37.2	168.8
213	45.6	35.1	159.1
214	45.4	34.9	158.3
215	29.9	23.0	104.1
216	46.9	36.1	163.5
217	47.1	36.3	164.4
218	47.7	36.7	166.4
219	50.5	38.8	176.0
220	54.0	41.5	188.2
221	49.2	37.8	171.4
222	57.6	44.3	200.8
223	62.8	48.3	218.9
224	60.6	46.6	211.3
225	61.9	47.6	215.8

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
226	50.9	39.2	177.5
227	56.4	43.4	196.7
228	57.9	44.5	201.8
229	55.5	42.7	193.3
230	54.5	42.0	190.2
231	54.5	42.0	190.2
232	56.4	43.4	196.7
233	49.3	37.9	172.0
234	57.6	44.3	200.9
235	57.0	43.9	198.8
236	54.8	42.1	190.9
237	51.8	39.9	180.7
238	50.6	38.9	176.5
239	51.7	39.8	180.3
240	51.0	39.2	177.9
241	57.1	44.0	199.2
242	57.3	44.1	199.8
243	56.6	43.5	197.3
244	56.1	43.1	195.6
245	56.8	43.7	198.2
246	56.9	43.8	198.5
247	57.7	44.4	201.0
248	56.0	43.1	195.3
249	57.9	44.5	201.8
250	56.2	43.2	195.9
251	81.2	62.5	283.2
252	35.1	27.0	122.5
253	46.4	35.7	161.9
254	59.7	45.9	208.1
255	60.2	46.3	210.0
256	58.3	44.8	203.2
257	60.8	46.8	212.1
258	64.6	49.7	225.3
259	58.6	45.1	204.3
260	61.3	47.2	213.9
261	60.2	46.3	209.8
262	60.9	46.8	212.3
263	67.7	52.1	236.1
264	73.4	56.5	255.9
265	66.9	51.5	233.2
266	69.0	53.1	240.6
267	67.0	51.6	233.7
268	82.8	63.7	288.8
269	88.6	68.1	308.8
270	83.5	64.2	291.2

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
271	84.7	65.2	295.5
272	78.6	60.5	274.0
273	74.1	57.0	258.3
274	82.4	63.4	287.2
275	82.9	63.7	288.9
276	59.5	45.8	207.6
277	59.1	45.5	206.2
278	59.6	45.9	207.9
279	51.6	39.7	179.8
280	48.5	37.3	169.1
281	50.0	38.5	174.3
282	56.8	43.7	198.1
283	58.5	45.0	204.1
284	62.2	47.8	216.9
285	50.8	39.1	177.0
286	50.4	38.7	175.6
287	58.4	45.0	203.7
288	61.7	47.5	215.2
289	59.3	45.6	206.8
290	57.2	44.0	199.4
291	53.3	41.0	185.8
292	55.9	43.0	194.8
293	48.1	37.0	167.8
294	60.3	46.4	210.4
295	56.3	43.3	196.3
296	55.0	42.3	191.8
297	53.7	41.3	187.4
298	51.8	39.9	180.7
299	50.2	38.6	174.9
300	51.6	39.7	180.1
301	46.8	36.0	163.1
302	47.6	36.6	165.8
303	49.3	37.9	171.9
304	43.5	33.5	151.6
305	47.5	36.5	165.6
306	47.7	36.7	166.3
307	48.4	37.2	168.6
308	48.4	37.2	168.7
309	48.1	37.0	167.6
310	35.3	27.1	123.0
311	34.3	26.4	119.5
312	36.0	27.7	125.7
313	36.6	28.2	127.6
314	46.4	35.7	161.6
315	46.6	35.8	162.4

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
316	46.0	35.4	160.5
317	46.3	35.6	161.5
318	42.8	32.9	149.1
319	42.0	32.3	146.3
320	45.6	35.1	159.0
321	42.1	32.3	146.6
322	45.6	35.1	159.1
323	46.1	35.4	160.6
324	44.1	34.0	153.9
325	34.8	26.8	121.3
326	61.1	47.0	213.2
327	70.1	53.9	244.5
328	45.7	35.2	159.4
329	47.6	36.6	166.1
330	46.7	35.9	162.7
331	59.8	46.0	208.6
332	63.9	49.1	222.7
333	61.1	47.0	213.1
334	57.1	43.9	199.0
335	54.0	41.5	188.2
336	54.5	41.9	190.0
337	54.0	41.5	188.3
338	59.7	45.9	208.0
339	59.6	45.9	208.0
340	60.7	46.7	211.5
341	54.4	41.8	189.7
342	51.2	39.4	178.6
343	60.1	46.3	209.7
344	51.6	39.7	179.9
345	48.8	37.6	170.2
346	50.4	38.7	175.6
347	50.3	38.7	175.4
348	43.0	33.1	149.9
349	47.1	36.2	164.1
350	44.4	34.2	155.0
351	45.6	35.1	159.1
352	63.1	48.5	220.0
353	62.6	48.2	218.3
354	64.6	49.7	225.1
355	61.9	47.6	215.7
356	51.9	39.9	180.9
357	58.6	45.1	204.4
358	58.5	45.0	204.0
359	59.3	45.6	206.7
360	53.8	41.4	187.6

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
361	53.3	41.0	185.7
362	53.7	41.3	187.3
363	56.3	43.3	196.1
364	58.8	45.2	204.9
365	58.0	44.6	202.3
366	55.7	42.9	194.4
367	59.4	45.7	207.1
368	60.7	46.7	211.5
369	54.9	42.2	191.5
370	62.2	47.8	216.8
371	61.7	47.5	215.2
372	58.3	44.9	203.4
373	53.0	40.7	184.7
374	50.4	38.8	175.7
375	54.5	42.0	190.2
376	53.2	40.9	185.4
377	54.6	42.0	190.5
378	55.5	42.7	193.5
379	54.3	41.8	189.4
380	54.4	41.9	189.7
381	54.3	41.8	189.4
382	55.6	42.7	193.7
383	54.6	42.0	190.4
384	54.0	41.5	188.2
385	51.1	39.3	178.1
386	53.6	41.2	186.9
387	37.8	29.1	131.8
388	41.0	31.5	142.8
389	38.7	29.8	135.0
390	37.6	28.9	131.1
391	60.0	46.2	209.2
392	54.1	41.6	188.7
393	60.4	46.5	210.7
394	59.1	45.5	206.1
395	53.0	40.7	184.7
396	61.3	47.1	213.6
397	53.8	41.4	187.5
398	56.0	43.1	195.3
399	62.8	48.3	218.9
400	55.7	42.9	194.3
401	52.2	40.2	182.1
402	54.7	42.1	190.8
403	55.3	42.6	192.9
404	55.3	42.5	192.7
405	54.8	42.1	190.9

Number	4PP Resistance	vdPauw Resistance (typ.)	Resistivity (typ.)
406	55.6	42.8	193.8
407	54.1	41.6	188.7
408	68.8	52.9	239.8
409	60.3	46.4	210.3
410	64.5	49.6	224.8
411	65.3	50.2	227.7
412	65.1	50.1	227.1
413	66.0	50.7	230.0
414	68.8	52.9	239.7
415	62.9	48.4	219.2
416	55.5	42.7	193.5
417	55.4	42.6	193.0
418	55.5	42.7	193.5
419	55.2	42.5	192.6
420	58.5	45.0	203.9
421	58.9	45.3	205.3
422	60.3	46.4	210.4
423	59.8	46.0	208.4
424	61.8	47.5	215.3
425	58.3	44.9	203.4
426	58.7	45.2	204.7
427	59.1	45.5	206.0
428	59.9	46.1	208.8
429	58.6	45.0	204.2
430	53.6	41.2	186.8
431	52.5	40.4	183.1
432	55.0	42.3	191.6
433	53.8	41.4	187.6
434	58.3	44.8	203.2
435	59.5	45.7	207.3
436	56.7	43.6	197.6
437	56.1	43.2	195.7
438	57.5	44.2	200.4
439	58.6	45.0	204.2
440	58.6	45.0	204.2
441	51.4	39.5	179.1
442	51.4	39.6	179.3
443	53.8	41.4	187.6
444	50.7	39.0	176.9
445	61.4	47.3	214.2
446	49.1	37.8	171.2
447	49.1	37.8	171.2
448	50.2	38.6	174.9
449	55.4	42.6	193.1
450	50.0	38.5	174.3